



Specifications Philips LED Waterproof  
Batten Ledinaire WT065C 23/42W  
2900/4800lm - 840 Cool White | 120cm  
- Through Wiring



[View Product](#)

## General Information

|                          |                                    |
|--------------------------|------------------------------------|
| SKU                      | 248752                             |
| EAN                      | 8720169500235                      |
| manufacturer_code        | 8720169500235                      |
| Brand                    | Philips                            |
| Manufacturer Name        | WT065C LED29_48S/840 PSU L1200 TW1 |
| Any Lamp all-in warranty | 5 Years                            |
| Average Lifetime (h)     | 50000                              |
| D-Mark                   | Yes                                |

## Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Replaces (Watt)             | 1x18            |
| Wattage                     | 42W             |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Not Dimmable    |
| Colour of Light             | White           |
| Colour Code                 | 840 Cool White  |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra)       | 80-89           |
| Light Colour Options        | Single Color    |

|                       |                       |
|-----------------------|-----------------------|
| Luminous Flux (Lumen) | 4800lm                |
| Lumen per watt        | 114                   |
| Power factor          | >0.90                 |
| Including bulb        | Yes                   |
| Length                | 120cm                 |
| Product Type Category | LED Waterproof Batten |

## Fixture Information

|                        |                               |
|------------------------|-------------------------------|
| EOC8                   | 50023599                      |
| Mounting Method        | Surface                       |
| Fixture Connection     | PI [Push-in connector 3-pole] |
| Optical Cover          | Opal                          |
| IP-Rating              | IP65                          |
| Impact Protection (IK) | IK08 - 5 joules               |
| Operating Temperature  | 0 to +25                      |
| Housing                | Plastic                       |
| Colour of the Fixture  | Grey                          |
| Colour of material     | Grey                          |
| Emergency Lighting     | No Emergency Unit             |
| Series                 | Ledinaire                     |

## Dimensions

|             |      |
|-------------|------|
| Length (mm) | 1214 |
| Width (mm)  | 71   |
| Height (mm) | 74   |

## Sensor Information

Type of sensor

No Sensor

### Why Any-lamp?



Order from the **largest lighting specialist** in Europe



**Customised** quotation



Up to **7 years warranty**



**Easy** return process

